

# ConTeXt

## Presentation Environment 11

category: ConTeXt Style File

author: Hans Hagen

date: August 7, 2001



```

1 \setuppapersize
  [S6] [S6]

2 \setuplayout
  [topspace=0cm,
   backspace=0cm,
   header=Opt,
   footer=Opt,
   width=middle,
   height=middle]

3 \setupbodyfont
  [14.4pt,1br]

4 \setupcolors
  [state=start]

5 \setupinteraction
  [click=no,
   display=new,
   state=start]

6 \setupinteractionscreen
  [option=max]

7 \def\SomeShape%
  {\resetMPdrawing
   \startMPdrawing
   path p[], q[] ; pair a, b ;
   StartPage ;
   \stopMPdrawing
   \dorecurse{\CurrentTopic}
   {\startMPdrawing
    initialize box(\MPpos{topic-\realfolio-\recurselevel}) ;
    p[\recurselevel] := tensecircle (wxy,hxy,.25cm) shifted cxy ;
    fill p[\recurselevel] withcolor .9white ;
    pickup pencircle scaled .25cm ;
    \ifnum\recurselevel=\CurrentTopic\space
     draw p[\recurselevel] withcolor \MPcolor{ShowColor} ;
    \else
     draw p[\recurselevel] withcolor \MPcolor{DoneColor} ;
    \fi
   \stopMPdrawing}%
  \dorecurse{\CurrentMaxItem}
  {\startMPdrawing
   initialize box(\MPpos{item-\realfolio-\recurselevel}) ;
   linewidth := .25cm ;
   q[\recurselevel] := tensecircle (wxy,hxy,linewidth) shifted cxy ;
   fill q[\recurselevel] withcolor .9white ;
   pickup pencircle scaled linewidth ;
   \ifnum\recurselevel=\CurrentMaxItem\space
    draw q[\recurselevel] withcolor \MPcolor{ShowColor} ;
   \else
    draw q[\recurselevel] withcolor \MPcolor{DoneColor} ;
   \fi
  }

```

## Presentation Environment 11

```

    \stopMPdrawing}%
\dostepwiserecurse{2}{\CurrentTopic}{1}
  {\startMPdrawing
   draw
     rt point 3 of p[\recurselevel-1] --
     lft point 7 of p[\recurselevel]
     withcolor \MPcolor{ArrowColor} ;
    \stopMPdrawing}%
\dostepwiserecurse{2}{\CurrentMaxItem}{1}
  {\startMPdrawing
   draw
     bot point 9 of q[\recurselevel-1] --
     top point 5 of q[\recurselevel]
     withcolor \MPcolor{ArrowColor} ;
    \stopMPdrawing}%
\startMPdrawing
draw Page
  withpen pencircle scaled .5cm
  withcolor \MPcolor{EdgeColor} ;
StopPage ;
\stopMPdrawing
\MPdrawingdonetrue
\getMPdrawing}

8 \def\TitlePage#1%
  {\startstandardmakeup
   \setupalign[middle]
   \def\{\vfil\bf b\setupinterlinespace}
   \bfd\setupinterlinespace
   \vfil#1\vfil\vfil
   \stopstandardmakeup}

9 \definecolor [PageColor] [r=.5,g=.4,b=.3]
\definecolor [LineColor] [r=.7,g=.6,b=.5]

10 \definecolor [PageColor] [s=.60]
\definecolor [ShowColor] [r=.40]
\definecolor [EdgeColor] [g=.40]
\definecolor [DoneColor] [r=.40,g=.40]
\definecolor [ArrowColor] [b=.40]
\definecolor [LineColor] [r=.60,g=.60]
\definecolor [GotoColor] [ArrowColor]

11 \setupinteraction [color=GotoColor,contrastcolor=GotoColor]

12 \defineoverlay [shape] [\SomeShape]
\defineoverlay [next] [\overlaybutton{forward}] % [{nextpage}]

13 \setupbackgrounds
  [page]
  [background={color,next,shape},
   backgroundcolor=PageColor]

```

```

14 \doglobal\newcounter\CurrentMaxItem
   \doglobal\newcounter\CurrentItem
   \doglobal\newcounter\CurrentTopic

15 \def\StartIdea%
   {\doglobal\newcounter\CurrentItem}

16 \def\StartTopic%
   {\doglobal\increment\CurrentTopic
    \dostartbuffer[topic-\CurrentTopic][StartTopic][StopTopic]}

17 \def\StopIdea%
   {\dorecurse{\CurrentItem}
    {\let\CurrentMaxItem\recurselevel
     \doStopIdea}}

18 \def\doStopIdea%
   {\startstandardmakeup
    \dontcomplain
    \vskip.875cm
    \hbox to \makeupwidth
    {\hfill
     \dorecurse{\CurrentTopic}
     {\edef\Topic{topic-\realfolio-\recurselevel}}%
     \hpos
     {\Topic}
     {\framed
      [frame=off,align=middle,offset=.25cm]
      {\getbuffer[topic-\recurselevel]}}}%
     \ifnum\recurselevel<\CurrentTopic
     \hskip.875cm
     \fi}%
    \hfill}
   \vskip.875cm
   \vfilll
   \dorecurse{\CurrentMaxItem}
   {\edef\Item{item-\realfolio-\recurselevel}
    \hbox to \makeupwidth
    {\hfill
     \hpos
     {\Item}
     {\framed
      [width=.75\makeupwidth,
       frame=off,
       align=middle,offset=.125cm]
      {\getbuffer[item-\recurselevel]}}}%
     \hfill}
    \vskip.875cm}
   \vfilll
   \stopstandardmakeup}

```

## Presentation Environment 11

```
19 \def\StartItem%
    {\doglobal\increment\CurrentItem
    \dostartbuffer[item-\CurrentItem][StartItem][StopItem]}

20 \lefthyphenmin=\maxdimen
    \righthyphenmin=\maxdimen

21 \starttext

22 \StartIdea
    \StartTopic
        A Nice Idea
    \StopTopic
    \StartItem
        \input reich \relax
    \StopItem
    \StartItem
        \input reich \relax
    \StopItem
    \StartItem
        \input reich \relax
    \StopItem
\StopIdea

23 \StartIdea
    \StartTopic
        One More Nice Idea
    \StopTopic
    \StartItem
        \input reich \relax
    \StopItem
    \StartItem
        \input reich \relax
    \StopItem
\StopIdea

24 \StartIdea
    \StartTopic
        The Last Idea
    \StopTopic
    \StartItem
        \input tufte \relax
    \StopItem
\StopIdea

25 \stoptext
```